

**"SIAM" PICK UP BALER** has designed for using in all areas around the world, especially in developing countries. The highlight functions or special features as following...

- ▶ **Good Prevention** : Main transmission with heat treat helical gears immersed in an oil-filled housing have protected by an overrunning clutch. And the possible damage from over-loads & bolt foreign bodies prevented by a shear.
- ▶ **Strong** : Press ram operated by a counterweighted rod & crank mechanism, they were able to overcome critical points of cycle and affording by increasing stability even heavy working at 90 strokes plus per minute.
- ▶ **Effective in heavy working hours** : Drive transmitted to the forks and binders by a single heavy duty chain.
- ▶ **Smooth Operation** : Drive transmitted to the pick-up by a single V belt & tensioning system which guarantees smooth operation, safeguarding against overloads and avoiding the problems from chain drive, which requires and an extra shaft and clutch. A pick-up mechanism balanced by two tension springs adapts to every an overrunning in the ground without suffering damage.
- ▶ **Safety System** : Flywheel and all other moving parts fully protected by guards, ensuring that the machine responds fully to statutory accident prevention requirements, even in those countries with the strictest laws on safety in the workplace.
- ▶ **Consistency** : Straw/ fodder/ hay, a finished bale of exceptional quality, whatever the lengthgenerous and consistency - thanks to a range of adjustment on the forks.
- ▶ **Easy to control** : The knotter twin twines is the heart of Baler, it is easy to adjust and control, especially when the machine are working in high speed operation.



**Product Specification :**

Details / Model	S3547	S3747	Remarks
Type	Rectangular Bale		Square Baler
Bale Size (DxW)	36x47 cm.	39x47 cm.	
Bale Length	30-130 cm.	30-150 cm.	Adjustable
Bale Weight	6-45 kg.	6-50 kg.	
Pick Up Width	160 cm.		
Tine Bars	4	4	
Tines	64		
Knotter	Twin Twine		New Model 2008
Stroke per minute	88		
Traverse	700 m.m.	750 m.m.	
Power Required	At least 25 HP		4 wheels power
Quantity per hour	More than 300 bales / hour		Depand on factors
Dimension (WxLxD)	230x445x155 cm.	230x485x155 cm.	
Tires	195 / R14		
Net Weight	1300 kg.	1370 kg.	
Loadability	4 units / 1 of 40' container	3 units / 1 of 40' container	Full assembled & Ready to Use

\*\*\*All details can be changed without explanation \*\*\*

**"SIAM" PICK-UP BALER**

We are a manufacturer and seller "SIAM BALER" machine including spare-part of pickup balers such as SIAM, CICORIA, NEW HOLLAND, etc...



- ▶ Modern, beautiful, easy to use, strong and durable, suitable with tractor over 25-30 HP. (4 wheels)
- ▶ Low cost, high performance and can make more bale.
- ▶ New gear its bigger and faster and silent.
- ▶ 4 Safety system, Gear box / Plunger / Knotter / Needle.
- ▶ No worried with V-belt and chain by new automatic control chain and v-belt.
- ▶ Bigger crank and fly-wheel, its make machine working very well, it not shake by 3 of bearings.
- ▶ Ring gear and pinion are bigger and more durable. It helps to make more weight of bale.
- ▶ No problem with bail bending left and right because of longer body frame and it can make more weight of bale.
- ▶ All gear and bearing guarantee standard by SKF, TIMKEN, KOYO, NTN etc. We never use CHINA bearing.
- ▶ Comfortable with new pick up lifter, it can lifting automatic when attaching something.
- ▶ Big axle and big bar making machine durable no tear and broken.


New Model S3547 and S3747 , Special 4 forks, it makes smooth feeding and high performance. One feeding can feed hay more than other brand 30% then it can working faster than other brand. Confident with spare parts because we can provide all of items all times. Also with Part number in all pieces of steel.



New Model Transmission



Pickup and New Pickup Lifter



Knotter Twin Twines



Quicker New Model Gear




Big Fly-wheel with heavy weight





Strong Axle and Bar  
Hard to broke

Our spare-parts are available for all support & maintenance



And More.....





**More Information :** Please visit our webpage : <http://www.siambaler.com>

**Any enquiries :** Please send an email to [siambaler@gmail.com](mailto:siambaler@gmail.com)

**Production & Distribution by :** SIAM BALER LIMITED PARTNERSHIP

## "เครื่องอัดฟางสยาม"

เต็มเปี่ยมไปด้วยประสิทธิภาพ และศักยภาพในการทำงานเพื่อให้ได้ก้อนฟางขนาดใหญ่ แน่น และน้ำหนักดี ด้วยคุณสมบัติเด่นดังนี้

- ▶ รูปทรงทันสมัย สวยงาม ใช้งานง่าย แข็งแรง ทนทาน เหมาะกับรถไถนาตั้งแต่ 25-30 แรงม้าขึ้นไป
- ▶ ต้นทุนต่ำ ประสิทธิภาพสูง สามารถทำก้อนฟางได้มากกว่า
- ▶ ระบบเฟืองขับเคลื่อนใหม่ ใหญ่กว่า เร็วกว่า รอบตึกกว่า เย็นกว่า และยืดอายุการใช้งานของโซ่
- ▶ ระบบเซฟตี้รองรับการทำงานเกินกำลังมากถึง 4 จุด คือ เฟืองท้าย, ลูกสูบ, หัวมัดเชือก, กระสวย
- ▶ ชุดตั้งสายพานและโซ่อัตโนมัติ ยืดอายุการใช้งาน และหมดกังวลเรื่องการบำรุงรักษา
- ▶ ชุดแควล์และมูเลย์หน้ารุ่นใหม่ น้ำหนักมาก ส่งผลดีต่อการทำงานของเครื่อง ทำให้เครื่องทำงานนี้มนวล ไม่สั่นและแกว่งตัวมาก (เฉพาะมูเลย์หน้าใช้ลูกปืนถึง 3 ตลับ ทำให้ไม่มีการแกว่งตัวเวลาเครื่องทำงาน)
- ▶ เฟืองท้ายรุ่นใหม่ ใหญ่กว่าทั้งเดือยหมู และ ใบสี ทนทานกว่า สามารถทำน้ำหนักก้อนฟางได้มากกว่า
- ▶ หมดปัญหาก้อนฟางเอียงซ้าย ขวา และน้ำหนักไม่โตมาตรฐาน ด้วยช่องฟางออกที่ยาวพิเศษ และทำน้ำหนักได้มากกว่า
- ▶ เฟืองทุกตัว ผ่านการขบแข็งตามมาตรฐานของประเทศอังกฤษ อเมริกา และเยอรมัน ลูกปืนทุกตลับ ได้มาตรฐานของอังกฤษ อเมริกา และญี่ปุ่น (ไม่ใช่ลูกปืนของประเทศจีน และลูกปืนไม่ได้มาตรฐาน)
- ▶ ตัวเก็บฟางกว้างกว่า สามารถเก็บฟางได้หมดในรอบเดียว สะดวกสบายด้วยชุดยกตัวเก็บฟางแบบใหม่ หมดปัญหาการเอียงข้างเดียว ของตัวเก็บฟาง
- ▶ เหนือกว่าด้วยตัวเขี่ยฟางเข้าเครื่อง 4 ตัว และช่องฟางเข้าเครื่องขนาดใหญ่พิเศษ หมดปัญหาการขึ้นของเนื้อฟางเวลาฟางเข้าเครื่อง จำนวนฟางต่อการเขี่ยฟางเข้าหนึ่งครั้งมากกว่าทุกยี่ห้อ ทำให้ทำงานได้เร็วขึ้น ได้ก้อนฟางต่อวันมากขึ้น ลดค่าใช้จ่ายและเวลาได้มาก
- ▶ เหนือกว่าด้วยช่วงล่างรุ่นใหม่ล่าสุด แกร่ง ไม่มีการแตกหักของช่วงล่าง และตัวตามหลังเครื่องยังช่วยให้เครื่องไม่บิดตัวเวลาทำงานและข้ามคันนา ทำให้เครื่องไม่เสียรูปทรง คงทน ถาวร
- ▶ ส่วนประกอบของเครื่องอัดฟางสยาม ทุกชิ้นมีหมายเลขอ้างอิง (part number) ติดอยู่ที่เหล็กทุกชิ้น
- ▶ มั่นใจกว่าเพราะมีอะไหล่ทุกชิ้นตลอดเวลา ไม่ต้องรอสั่งจากเมืองนอก ไม่ต้องรออะไหล่เวลาเครื่องมีปัญหา พร้อมทั้งงานไวคอบบริการทุกท่าน
- ▶ พิเศษสำหรับท่านที่ใช้เครื่องอัดฟางเก่า เช่น นิวฮอลแลนด์ ทางเรามีอะไหล่หัวมัด เชือกและอื่นๆ ทุกชิ้น นำเข้าจากอังกฤษ และอเมริกา



### รายละเอียดของเครื่องอัดฟางสยาม (Product Specification) เป็นดังต่อไปนี้

รายละเอียด	รุ่น S3547	รุ่น S3747	หมายเหตุ
ชนิด	ก้อนฟางสี่เหลี่ยมผืนผ้า		PTO รถไถนาขับเคลื่อน
ขนาดก้อนฟาง (ลิทกกว้าง)	36x47 ซม.	39x47 ซม.	
ก้อนฟางยาว	30-130 ซม.	30-150 ซม.	ปรับตั้งได้
น้ำหนักก้อนฟาง	6-45 กก.	6-50 กก.	ผันแปรตามฟางเปียกหรือแห้ง
ความกว้างตัวเก็บฟาง	160 ซม.		เก็บฟางหมดในรอบเดียว
ตัวเขี่ยฟางเข้า	4 ตัว	4 ตัว	
สปริงเก็บฟาง	64 เส้น		
หัวมัดเชือกอัตโนมัติ	เชือก 2 เส้น		
จำนวนรอบ	88 รอบ / นาที		
ความยาวช่วงชัก	700 มม.	750 มม.	
ต้องการกำลังขับเคลื่อน	อย่างน้อย 25 แรงม้า (แบบขับเคลื่อนสี่ล้อ)		ใช้ได้กับรถไถใหญ่และเล็ก
ปริมาณฟางต่อชั่วโมง	มากกว่า 300 ก้อน ต่อ ชั่วโมง		ขึ้นอยู่กับรถไถและคนขับ
กว้างxยาวxสูง (ซ.ม.)	230x445x155	230x485x155	ขึ้นลิบล้อและหกล้อใหญ่ได้
ยาง	195 / R14		มีล้อขึ้น (สามารถสั่งได้)
น้ำหนักรวม (ก.ก.)	1300	1370	

\*\*\*รายละเอียดต่างๆ สามารถเปลี่ยนได้โดยไม่จำเป็นต้องแจ้งให้ทราบล่วงหน้า

**เครื่องอัดฟางไทยรายแรกที่ส่งออกมากกว่า 35 ประเทศทั่วโลก**

ผู้ผลิตและจำหน่ายเครื่องอัดฟางสยาม และอะไหล่แท้เครื่องอัดฟางทุกยี่ห้อ เช่น นิวฮอลแลนด์, ซีโคเรีย, เค เอ็ม ที, กากินานี ฯลฯ พิเศษ! มีหัวมัดเชือกของใหม่ทั้งชุดและอะไหล่ทุกชิ้นสำหรับ ท่านที่ใช้เครื่องเก่า ทุกรุ่น ทุกยี่ห้อ



**เครื่องอัดฟางสยาม สวย ทน แกร่ง คืบทุนไว.**


เครื่องอัดฟางสยาม รุ่นใหม่ล่าสุด S3547 และ S3747 ขาเขี่ยฟางเข้า และตัวเก็บฟางกว้างกว่าทุกยี่ห้อ ทำงานเร็วขึ้น 30 เปอร์เซ็นต์ ทำงานไวกว่าด้วยเฟืองขับรุ่นใหม่ รอบเร็ว และแข็งแรงด้วยช่วงล่างแบบพิเศษ ไม่แตกหัก เหมาะกับการใช้งานในทุกพื้นที่ เครื่องอัดฟางสยาม มีเลขอ้างอิง (Part Number) ติดอยู่ที่เหล็กทุกแผ่น หมดปัญหาเกี่ยวกับอะไหล่ และชิ้นส่วนทุกชิ้น มีอะไหล่ 100%



เฟืองท้ายรุ่นใหม่ เดี่ยวหมุขนาดใหญ



ตัวเก็บฟางพร้อมชุดยกแบบใหม่



หัวมัดเชือกรุ่นใหม่ล่าสุด



เฟืองขับรุ่นใหม่ รอบเร็วทันใจ




มุเลย์หน้ารุ่นใหม่ น้ำหนักมาก




ตัวตามหลังและช่วงล่างใหญ่กว่าทุกยี่ห้อ ไม่แตกหัก และไม่บิดตัว



เรามีอะไหล่เครื่องอัดฟาง และอุปกรณ์อัดฟาง หลากหลายยี่ห้อพร้อมจำหน่ายในราคาขอมเยา



และอื่น ๆ อีกมากมาย...



ข้อมูลเพิ่มเติม : เยี่ยมชมได้ที่เว็บไซต์ : <http://www.siambaler.com>

ตอบทุกคำถาม : มีข้อสงสัยติดต่อเราได้ทีอีเมล [siambaler@gmail.com](mailto:siambaler@gmail.com)

ผลิตและจัดจำหน่ายโดย : ห้างหุ้นส่วนจำกัดเครื่องอัดฟางสยาม